Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Fatboy the Original B.V.

Supplier's address: Fatboy the Original B.V., Het Zuiderkruis 3, 5215 MV 's-Hertogenbosch, NL

Model identifier: Tjoep large

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS			
Light source cap-type	Integrated LED					
(or other electric interface)						
Mains or non-mains:	NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:	No	Envelope:	-			
High luminance light source:	No					
Anti-glare shield:	No	Dimmable:	Yes			
Product parameters						

		Product para	ineters			
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consum mode (kWh/100 up to the nearest	0 h), rounded	38	Energy efficiency class	D		
Useful luminous indicating if it ref in a sphere (360 cone (120º) or in (90º)	fers to the flux Dº), in a wide	6 500 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000		
On-mode po expressed in W	ower (P _{on}),	38,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00		
Networked stand for CLS, express rounded to the se	ed in W and	-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	80		
Outer	Height	90	Spectral power	See image		
	Width	90	distribution in the	in last page		
without	Depth	500	-			
I	-		1	Page 1		

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load	
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity	0,437
		coordinates (x and y)	0,405
Parameters for LED and OLED ligh	nt sources:		
R9 colour rendering index value	1	Survival factor	0,90
the lumen maintenance factor	0,96		
(a)		I I	

(a)_{'-'} : not applicable;

(b)'-' : not applicable;

