Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Fatboy the Original B.V.
Supplier's address: Fatboy the Original B.V., Het Zuiderkruis 3, 5215 MV 's-Hertogenbosch, NL
Model identifier: Tjoep small

Type of light source: Lighting technology used: Non-directional LED **NDLS** directional: Light source cap-type **Direct Wire** (or other electric interface) Mains or non-mains: Connected **NMLS** light No source (CLS): Colour-tuneable light source: No Envelope: High luminance light source: No

Anti-glare shield: No Dimmable: Yes **Product parameters** Parameter Value Parameter Value **General product parameters:** Energy consumption in on-14 Energy efficiency D mode (kWh/1000 h), rounded class up to the nearest integer Useful luminous flux (фuse), 2 300 in Correlated colour 3 000 indicating if it refers to the flux Sphere (360°) temperature, in a sphere (360°), in a wide rounded to the cone (120º) or in a narrow cone nearest 100 Κ, (90°) or the range of

On-mode expressed in W	power (P _{on}),	14,0	correlated colour temperatures, rounded to the nearest 100 K, that can be set Standby power (P _{sb}), expressed in W and rounded to the second decimal	<u>-</u>
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer	Height	90	Spectral power	See image
dimensions	Width	90	distribution in the	in last page
without	Depth	500		
				5 4 /

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-		
		Chromaticity	0,396		
		coordinates (x and y)	0,393		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	1	Survival factor	0,90		
the lumen maintenance factor	0,96				

(a)'-': not applicable; (b)'-': not applicable;

