## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Fatboy the Original B.V.

Supplier's address: Fatboy the Original B.V., Het Zuiderkruis 3, 5215 MV 's-Hertogenbosch, NL

Model identifier: Edison the Grand

Type	of	light	source:	
IVDC	v	115116	JOUI CC.	

Outer dimen-

sions without

separate con-

trol gear, lig-

Height

Width

Depth

Lighting technology used:	LED	Non-directional or directional:	NDLS				
Light source cap-type	Integrated LED						
(or other electric interface)							
Mains or non-mains:	NMLS	Connected light source (CLS):	No				
Colour-tuneable light source:	No	Envelope:	-				
High luminance light source:	No						
Anti-glare shield:	No	Dimmable:	Yes				
Product parameters							
Parameter	Value	Parameter	Value				
General product parameters:							
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	7	Energy efficiency class	D				
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	1 167 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 169				
On-mode power (P <sub>on</sub> ), expressed in W	7,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the se- cond decimal	0,00				
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI- values that can be set	80				

170

170

40

Spectral power dist-

ribution in the range

250 nm to 800 nm,

at full-load

See image

in last page

hting control parts and non-lighting control parts, if any (millimetre)						
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-			
		Chromaticity coord-	0,372			
		inates (x and y)	0,368			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	31	Survival factor	0,90			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;

